

# 1. 0 Product and Company Identification

identification of the preparation HP LaserJet Print Cartridge

92298A/X

Company Identification Hewlett-Packard Company

11311 Chinden Boulevard

Boise, Idaho 83714

United States

**Emergency Telephone Number Hewlett-**

**Packard Health Effects Line** 

I-800-457-4209 (USA and Canada)

503-494-7199 (USA direct)

Singapore: +001-800-332-13321

**General Information Telephone Number** 

**Local Contact Information** 

208-323-2551 (USA direct)

Ireland

Liffey Park Technology Park Barnhall Road Leixlip, Co.

Kildare, Ireland Phone: 01 6150000

**United Kingdom** 

Hewlett-Packard, Ltd. Cain Road, Amen Corner

Bracknell, Berkshire, RG121 HN

Phone: 1344 36-0000

Hazard Rating	US NFPA/HMIS		
Health	1		
Flammability	1		
Instability/Reactivity	0		
Special	N/A		

# 2.0 Composition/Information on Ingredients

This product is a toner preparation that is used in Hewlett-Packard 4, 4 Plus, 4M, 4M Plus, or 5 LaserJet printers.

Component/Substance	CAS Number	EU Number	% by Weight	Risk Phrases
Styrene Acrylate			45 - 55	
Copolymer				
Iron Oxide	1317-61-9	215-277-5	45 = 55	

# 3.0 Hazard Identification

August 1, 2002

The preparation is not classified according to EU Directive 1999/45/EC



# 7510-395-125

# **Material Safety Data Sheet**

3.1 Routes of Exposure

Inhalation, ingestion, skin and eyes.

3.2 Acute Health Hazards

Inhalation:

Minimal respiratory tract irritation may occur with exposure to

large amount of toner dust

ingestion:

Ingestion is not applicable route of entry for intended use.

Skin:

Unlikely to cause skin irritation

Eves:

May cause eye irritation

3.3 Chronic Health

**Hazards** 

Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does

not result in inhalation of excessive amounts of dust.

3.4 Carcinogenicity

Refer to section 11.

### 4.0 First Aid Measures

inhalation: Move person to fresh air immediately. If symptoms

occur,-consult a physician.

**Ingestion:** Rinse mouth with water. Drink one to two glasses of

water. If symptoms occur, consult a physician.

**Skin:** Wash affected areas thoroughly with soap and

water. If symptoms occur, consult a physician.

Eyes: Immediately flush with large amounts of clean,

lukewarm water (low pressure) for at least 15 minutes. If symptoms occur, consult a physician.

# 5.0 Fire Fighting Measures

**Extinguishing media** CO<sub>2</sub> water, dry chemical

**Unsuitable Extinguishing** 

Media

None known

**Special Firefighting** 

**Procedures** 

None

Unusual fire and explosion

hazards

Toner material, like most organic material in pawder

form, is capable of creating a dust explosion

**Auto-ignition temperature** 

\_\_\_\_\_

Flashpoint (method)

No data available Not applicable

**Hazardous Combustion** 

ilazai uous Collibustioi

Products

Combustion will produce carbon dioxide and,

possibly toxic chemicals such as carbon monoxide.

### 6.0 Accidental release measures

**6.1 Spill or leak procedures** Wear personal protective equipment as described in

Section 8. Minimize the release of particulates. Vacuum or sweep the material into a bag or other sealed container and dispose in accordance with

local requirements.

August 1, 2002

Page 2 of 5

HP LaserJet 92298A/X



6.2 Environmental precautions

Do not discharge into drains (See also section 13

Disposal Considerations).

#### 7.0 Handling and Storage

Advice on safe handling and protection against fire

Keep material out of reach of children. Avoid

inhalation of dust and contact with eyes. Keep away

from excessive heat, sparks, and open flames.

Keep container closed and store at room

temperature. Keep away from strong oxidizers.

Requirements for storage rooms and advice on storage compatibility

#### Exposure control/ personal protection 18.0

8.1 Exposure Limit Values

USA OSHA (TWA)/PEL): 15 mg/m<sup>3</sup> (Total Dust)

5 mg/m<sup>3</sup> (Respirable Fraction)

10 mg/m<sup>3</sup> (Inhalable Particulate) ACGIH (TWA/TLV):

3 mg/m<sup>3</sup> (Respirable Particulate)

10 mg/m3 (Einatembare Partikel) TRGS 900 (Luftgrenzwert):

3 mg/m3 (Alveolengangige Fraktion)

**8.2 Exposure Controls** 

**Respiratory protection** Not required under intended use

> Ventilation Good general ventilation should be sufficient under

> > intended use

**Protective gloves** Not required under intended use

Eye protection Not required under intended use

Other protective equipment Not required under intended use

#### 9.0 Physical and chemical properties

pH Not applicable

Boiling point Not applicable Flash point Not applicable

Melting point 100 - 150°C (Softening Point)

Flammability Non-flammable solid (according to test methods of

USA 16 CFR 1500.44 and 84/449/EEC (Annex V)

A.IO)

**Explosive properties** Toner material, like most organic material in powder

form, is capable of creating a dust explosion

Oxidizing properties No data available

Vapor Pressure Not applicable

Specific gravity  $(H_2O=1)$  1.4 - 1.6 Solubility in water Negligible

Solubility in organic Partially soluble in toluene and xylene

solvents

Partition coefficient Not applicable

Page 3 of 5 HP LaserJet 92298A/X August 1, 2002



Viscosity Not applicable
Vapor density Not applicable
Evaporation rate Not applicable
Physical state Fine powder

Color Black

Odor Slight plastic odor
Other None known

## 10.0 Stability and reactivity

**Stability** Stable under normal storage conditions

Incompatibilities Strong oxidizers

Hazardous decomposition Combustion will produce carbon dioxide and,

**products** possibly toxic chemicals such as carbon monoxide.

Hazardous polymerization Will not occur.

# 11 .0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures

**Acute Toxicity:** 

Skin Contact: Not classified as irritant, according to OSHA

HazardCommunication Standard (HCS) and EU Directive

67/548/EEC.

**Chronic Toxicity:** No data available

**Other Toxicity Data:** 

Mutagenicity: Negative, does not indicate mutagenic potential, (Ames

Test: Salmonella typhimurium).

Carcinogenicity: Not a known or suspected carcinogen according to any

IARC Monograph, NTP, OSHA Regulations (USA), EU

Directive, or Proposition 65 (California).

## 12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems"

### 13.0 Disposal considerations

Product // unused product // contaminated packaging (for Germany only)
Recommendation: consultation with the disposal agency and the relevant authorities; cleansing agent is water.

### 14.0 Transportation information

Not a regulated article under DOT, IATA, ADR, or RID

UN Number None
Class None
Proper Shipping Name None

August 1, 2002 Page 4 of 5 HP LaserJet 92298A/X



Packing Group None Special Precautions None

# 15.0 Regulatory information

**US EPA TSCA Inventory** All ingredients are listed on TSCA inventory

US EPA TSCA 12(b) None

**US California Proposition 65** None

**EU Notification** All components in this product are compliant with

EU Chemical Inventory regulations.

**EU R&S Phrase information** 

**No** European Risk Phrases (labeling data)

**Dangerous Components** None (CAS No.) wt%

**USA Labeling** 

Signal Word Not required Hazard Warning Not required Safety Advice Not required

Hazardous Component(s) None

#### Other information 16.0

Date Prepared: August 1, 2002

HP-DMS Document Control 09000de78021fc96

Number:

**Revision Information:** This document replaces all prior versions of the MSDS

Other Information This MSDS was prepared in compliance with EU Directive

91/155/EEC as amended by 2001/58/EC and USA OSHA Hazard Communications regulations (29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or their suitability for a particular application.